



INTERSTAR





Let your star qualities shine with Nissan's All-Star line-up. Choose from three Nissan commercial vehicles: the compact yet spacious Nissan Townstar, the roomy and versatile Nissan Primastar, or the mighty and flexible All-New Nissan Interstar - the capable business partner for businesses, large and small. Whatever your line of work, there's an All-Star Nissan van that can help you rise to tomorrow's business challenges.



Key performance indicator

NEW POWERTRAINS


EV 2 battery sizes : 87kWh & 40kWh.
Range up to 285 miles^[1].
Standard DC Charging & available with 22kW AC Charging^[2].

DIESEL Available with 6 speed Manual or 9 speed Automatic transmission
Fuel economy up to 37.8 MPG^[3].
Engine performance up to 170hp and 380Nm.


GROSS VEHICLE WEIGHT

	DIESEL	EV
4.0T	●	●
3.8T		●
3.5T	●	●
3.3T	●	

1.3M WIDE SLIDING DOOR OPENING




PANEL VAN SIZES




	L2H2	L3H2	L3H3
Load length at floor (mm)	3 225	3 855	3 855
Load height (mm)	1 885	1 885	2 138

[1] 285 miles is obtained with the 87kWh battery on the 4.0T N2 version. The figures were determined under the new Worldwide harmonized Light Vehicles Test Procedure (WLTP) test cycle. The figures shown are for comparability purposes. Actual real world driving results may vary depending on factors including starting charge of the battery, weather conditions, driving styles, vehicle load or any accessories fitted after registration. [2] Feature available depending on grade, as standard or only as option (at an extra charge). [3] For 35L2H2 130hp version - diesel range: fuel consumption MPG (WLTP combined): 33.2 - 37.8; CO₂ emissions g/km (WLTP combined): 194 - 222g. Worldwide harmonized Light Vehicles Test Procedure (WLTP) test cycle.


BUILT FOR YOUR LINE OF WORK




Panel Van




Luton / Low Luton




Platform Cab




Chassis Cab



Chassis Double Cab




Dropside
(Single/Double Cab)




Tipper
(Single/Double Cab)




CARGO AREA VOLUME



L2 H2



L3 H2



L3 H3
DIESEL ONLY

[1] For the 4.0T GVW van versions.



5 years / 10k miles (whichever comes first). For further details please go to [Nissan.co.uk](https://www.nissan.co.uk) or speak to your Nissan dealer for full terms and conditions.



Work better with your new business partner.

The versatile, robust and practical all-new Interstar is built to support your business. It delivers capable transportation for loads big and small. Its aerodynamic design optimises the air flows around the vehicle, reducing^[1] the drag forces thus the energy usage for both the diesel or electric versions. With a choice of lengths, heights, weights, body types and grades, it offers you the flexibility you need to work better, and live better.



[1] when compared to previous Interstar.

Designed to deliver.

Our largest, most capable new van is designed with the robust construction and high quality materials our customers have the right to expect. From the distinctive grille to the LED headlamps, new Interstar's design is bold and impressive. It shows the world that it means business. Just like you.



Interstar's impressive design exudes confidence. Convenient steps are integrated into the bumper to make cleaning the windscreen straightforward



Standard LED headlamps and LED Daytime Running Lamps



INTERSTAR name embossed in front grille



Tail-lamps and rear doors



Full wheel covers^[1]

[1] Feature available depending on grade, as standard or only as option (at an extra charge).

Intelligent interior design for you and your business.

With its spacious, driver-centric cabin, clever design touches and our latest technologies, new Interstar makes your drive a pleasure helping you work better and live better every day. Connect^[1] your smartphone^[5] to Interstar effortlessly with Apple CarPlay^[3] or Android Auto^[4] to get navigation, music, and hands-free access to your favourite apps while you're on the move.





Android Auto^[4] connectivity^[1]



Climate control system^[1]



Driver's adjustable armrest^[1]



2 USB-C[®] ports^{[1][2]}

[1] Feature available depending on grade, as standard or only as option (at an extra charge).

[2] USB Type-C[®] and USB-C[™] are registered trademarks of USB Implementers Forum. USB 2.0 Type-C[™] is a trademark of USB Implementers Forum.

[3] Apple CarPlay is a trademark of Apple Inc. [4] Android Auto is a trademark of Google LLC. [5] Compatible device required to utilise smartphone connectivity.

A cabin made to be lived in.

Interstar's stylish new cabin is designed to be your comfortable mobile office. With ergonomic design and seating, high-quality materials and more than 100L of storage space, it combines productivity with wellbeing, convenience and flexibility. Everything is stowed carefully, ready for you to access whenever you need it.



66L of storage beneath passenger bench seat⁽¹⁾



Front door lower storage capacity of 7.5L, with space for 1L bottle



Driver's side cup holder



Overhead storage shelf




Mobile Office Station^[1]

[1] Feature available depending on grade, as standard or only as option (at an extra charge).



Model shown is L2H2 panel van





6 floor rings (L2) & 8 floor rings (L3)



Flat and non intrusive bulkhead & 1 310mm wide sliding door opening

Loading and unloading made simple.

Better loading and unloading is where new Interstar comes into its own. With a load length of up to 3,855mm and one of the widest opening side doors in its category^[1], it can shift a payload of up to 1.9T for ICE Van (4.0T) and 1.6T for EV Van (4.0T). Interstar can help you save valuable time on every job. And the icing on the cake? A maximum towing capacity of 2.5T with a braked trailer.



^[1] Based on a comparison of 3.5T large vans in the SMMT LCV segment (as of February 2024) vs All New Nissan Interstar 3.5T L2H2.

INTERSTAR-e

UP TO
285 miles^[1]
EV RANGE



EV – CHOICE OF BATTERIES TO SUIT BUDGET AND AUTONOMY NEEDS

BATTERY SIZE	Motor Output & Torque		GVW	EV Range	DC Charging (max. speed) ^[2]	AC Charging ^[3]
Long Range 87kWh	105kW	300Nm	3.5T, 4.0T	285 miles ^[1]	Std (130kW)	22kW (opt) 11kW (std)
Std Range 40kWh	96kW	300Nm	3.5T, 3.8T	124 miles ^[1]	Std (50kW)	11kW (std)

[1] The figures are evaluated according to the Worldwide harmonized Light Vehicles Test Procedure (WLTP) test cycle, pending UK homologation. The figures shown are for comparability purposes. Actual real world driving results may vary depending on factors including starting charge of the battery, weather conditions, driving styles, vehicle load or any accessories fitted after registration.

[2] Figures quoted are for 40kWh and 87kWh batteries. Charging speed and time is dependent on various conditions, including charger type and condition, battery temperature as well as ambient temperature at the point of use. In cold climates, the use of on-board battery heating may be required to specifically improve quick charging speeds. Indicated quick charging time requires use of a CCS 2 charger. The Nissan Interstar is equipped with charging safeguards to protect the battery during repeated quick charging sessions in a short period of time. The time taken for successive quick charging can take longer if the battery temperature activates the battery safeguarding technology. DC charging requires the use of charging stations that are available on public charger network. Visit <https://www.zap-map.com/live/> for coverage details.

Power consumption (Wh/km): 21kWh/100km energy consumption; CO₂ emission combined (g/km): 0. Zero CO₂ emissions while driving.

[3] 11KW and 22KW require a three phase power charger.

Electrify every working day.

Nissan Interstar-e offers a vision of our electric future: a 100% electric capable workhorse that helps you with your work needs. With zero tailpipe emissions, rapid charging and impressive range, it helps you to meet all your business needs today and tomorrow.

Choose from 2 battery capacities: the 40kWh battery standard range and the 87kWh long range with up to 285 miles^[1] of range.

These 2 models come with standard DC CCS Rapid charging port (up to 130kW max speed for the 87kWh battery) - adding approx. 157 miles^[2] of range in 30 minutes^[5].

With the electric motor providing 300Nm, Interstar-e is as capable when handling heavy loads with a payload up to 1625kg and towing capacity of up to 2500kg.



EV BATTERY CHARGING TIME^[3]

DOMESTIC CHARGING	40kWh		87kWh		
	50km	170km	50km	170km	400km
7.4kW wall charger	1h55	5h44	1h55	5h44	13h54
3.7kW wall charge	3h55	11h46	3h55	11h46	28h30
Occasional 3-pin plug 2.3kW charging cable	6h28	21h59	6h28	21h59	47h02

PUBLIC CHARGING	40kWh		87kWh		
	50km	170km	50km	170km	400km
DC 150kW rapid charger ^[4]	0h15	1h00	0h06	0h19	1h10
AC 22kW fast charger (incl.)	0h38	1h53	0h38	1h53	4h35

[4] Maximum DC charging speed is 50kW for 40kWh battery; 130kW for 87kWh battery. [5] Figures quoted are for a new Interstar-e L2H2 87kWh with a standard 130 kW charger. Charging time may vary depending on charging conditions, including charger type and condition, on-site power usage, battery temperature as well as ambient temperature at point of use, battery age and state of charge, and if battery safeguarding technology is activated. Indicated rapid charging time requires use of a 150kW DC CCS charger, available only on public charger network. Visit <https://www.zap-map.com/live/> for coverage details.

INTERSTAR
UP TO
37.8 MPG^[1]



[1] For 35L2H2 130hp version. The figures were determined under the Worldwide harmonized Light Vehicles Test Procedure (WLTP) test cycle. The figures shown are for comparability purposes. Actual real world driving results may vary depending on factors including weather conditions, driving styles, vehicle load or any accessories fitted after registration

Power up every working day.

With a choice of new diesel powertrains, New Nissan Interstar gives you maximum performance and versatility. Choose the version that suits your business needs the best. From last mile delivery to construction work, Interstar is the smart choice for any business.

ENGINE RANGE

DIESEL	kW	Nm	6s Manual	9s Auto
dCi 170	125	380	3.5T, 4.0T	3.5T
dCi 150	110	360	3.5T	3.5T, 4.0T
dCi 130	96	350	3.3T, 3.5T	-
dCi 105	77	330	3.3T	-



DIESEL POWERTRAINS

With a 2.0L diesel with single variable turbo, Interstar's range of diesel engines offers up to 170PS and 380Nm, with fuel consumption up to 37.8 MPG or even from 41.5 MPG for N2 versions.

Choose from a 6-speed manual transmission or the 9-Speed Automatic, which offers shift-by-wire, sailing idle and coasting stop and a convenient, space-saving column gear selector with steering wheel paddles for up and down shifting.

For L2H2 130hp versions (Worldwide harmonized Light Vehicle Test Procedure, WLTP, combined test cycle): CO₂ emissions combined (g/km): 194 – 222g. (WLTP combined cycle).

Advanced safety technologies^[1].



LANE KEEP ASSIST & LANE DEPARTURE WARNING
These provide assistance to help centre the position of your vehicle in the lane and warn you when your vehicle is departing from the lane without your turning indicators activated.




REAR VIEW CAMERA
Rear view camera displays an image on the main screen to help when reversing. It works in combination with parking sensors to give an audible and visual representation of the proximity to the object behind.




INTELLIGENT SPEED ASSISTANCE INCLUDING TRAFFIC SIGN RECOGNITION
Keeps the driver informed of speed limit changes by detecting speed limit and warning signs. The system will offer to modify the cruise control speed to reflect that changing speed limit.



ELECTRONIC STABILITY PROGRAMME
Uses various sensors to monitor driver inputs and vehicle motion.



TRAILER SWAY ASSIST
Manages control of a trailer by modifying acceleration and braking.



1-BOX BRAKING SYSTEM
Electronically managed hydraulic braking system saves weight (combining more elements of the braking system together), improves braking power (halves the reaction timing under emergency braking), and provides improved consistency of brake feel and response under different payloads.



DRIVER DROWSINESS AND ATTENTION WARNING
Analyses driving behaviour to identify fatigue, warning the driver when it's time to stop and take a break.



FORWARD EMERGENCY BRAKING
If there is any object in your way, this system will help you brake to avoid or reduce damage caused by collision. When the system detects a sudden deceleration ahead, it gives you an audible and visual warning to slow down. It also includes cyclist and pedestrian detection functions.



FLANK PROTECTION
Ultrasonic sensors detect objects right around Interstar, reducing the risk of damage while manoeuvring.



HILL START ASSIST
Helps in preventing the vehicle from rolling backwards when starting on a hill.



E-CALL
In case of emergency, E-call can be set to automatically or manually, at the touch of a button, make a call to emergency services. The system is triggered if a collision is detected by your vehicle's sensors.



SIDE WIND ASSIST
Adjusts steering to take into account side winds that would otherwise push a vehicle out of lane.

[1] Features available depending on version, as standard or only as option (at an extra charge).

It is your responsibility to stay alert, drive safely and be in control of the vehicle at all times. Driver assist features have speed and other limitations and should not be solely relied on. For more information, please refer to the owner's manual or visit <http://www.nissan.co.uk/techterms>.

Relax, you're in good hands.

All-New Nissan Interstar features a wide range of safety and driving assistance systems designed to help you keep an eye on the road and bring you improved peace of mind to help make your working day safer and more convenient.




DIMENSIONS (MM)

Panel Van


		L2H2	L3H2	L3H3
A	Overall length	5685	6315	6315
	Overall length - with rear step bumper (std on vans)	5780	6410	6410
	Overall width with mirrors (mirrors folded in)	2222	2222	2222
B	Overall width with mirrors (mirrors open)	2466	2466	2466
C	Overall height unladen	2498	2498	2756
D	Wheelbase	3585	4215	4215
E	Front overhang	970	970	970
F	Rear overhang	1125	1125	1125
G	Side door max width	1312	1312	1312
H	Side door loading height	1755	1755	1755
	Distance from side door lower opening to load bed	261	261	261
	Rear door opening width at 100mm above load floor	1537	1537	1537
	Rear door opening width at 700mm above load floor	1533	1533	1533
	Rear door opening width at 1200mm above load floor	1521	1521	1521
	Rear door opening height	1755	1755	1755
I	Loading height at rear doors	572	570	570
	Load area length (at floor)	3225	3855	3855
	Load area length (at 1.1m above floor)	3004	3634	3634
	Load area length (at 1.3m above floor)	2992	3622	3626
J	Load area width at widest point	1789	1789	1789
	Load area width between wheel arches	1380	1380	1380
	Load area height	1885	1885	2138
	Cargo area volume (m ³)	10.8	13.0	14.8
	Front track	1760	1760	1760
	Rear track	1730	1730	1730
	Turning diameter - kerb to kerb (m)	12.8	14.6	14.6

DIMENSIONS (MM)


L2H2



L3H2




L3H3



WEIGHT (KG)

Panel Van



	DIESEL								
	FWD								
	L2H2			L3H2			L3H3		
	3.3T	3.5T	4.0T	3.3T	3.5T	4.0T	3.3T	3.5T	4.0T
Version	3.3T	3.5T	4.0T	3.3T	3.5T	4.0T	3.3T	3.5T	4.0T
Homologation	N1	N1	N2	N1	N1	N2	N1	N1	N2
Gross Vehicle Weight	3300	3500	4000	3300	3500	4000	3300	3500	4000
Kerb weight min ^[1]	2053	2053	2066	2125	2125	2138	TBC ^[2]	TBC ^[2]	TBC ^[2]
Kerb weight max ^[1]	2404	2404	2405	2450	2450	2450	TBC ^[2]	TBC ^[2]	TBC ^[2]
Max payload	1247	1447	1934	1175	1375	1862	TBC ^[2]	TBC ^[2]	TBC ^[2]
Min payload	896	1096	1595	850	1050	1550	TBC ^[2]	TBC ^[2]	TBC ^[2]
Max weight on front axle	1950	1950	2070	1950	1950	2070	TBC ^[2]	TBC ^[2]	TBC ^[2]
Max weight on rear axle	2000	2000	2370	2000	2000	2370	TBC ^[2]	TBC ^[2]	TBC ^[2]
Max towing capacity - braked	2500	2500	2500	2500	2500	2500	TBC ^[2]	TBC ^[2]	TBC ^[2]
Max towing capacity - unbraked	750	750	750	750	750	750	TBC ^[2]	TBC ^[2]	TBC ^[2]
Gross combination weight	5800	6000	6000	5800	6000	6000	TBC ^[2]	TBC ^[2]	TBC ^[2]
Max vertical load on trailer hitch	100	100	80	100	100	80	TBC ^[2]	TBC ^[2]	TBC ^[2]
Max roof load	200	200	200	200	200	200	TBC ^[2]	TBC ^[2]	TBC ^[2]



WHEEL & TYRE									
Wheel	16"	16"	16"	16"	16"	16"	16"	16"	16"
Tyre	205 75 R16	205 75 R16	215 75 R16	205 75 R16	205 75 R16	215 75 R16	205 75 R16	205 75 R16	215 75 R16

[1] Kerb weight is measured vehicle without occupants or load, with all fluids except fuel at 90%.

[2] Figures pending homologation.

WEIGHT (KG)

Panel Van EV



100% Electric								
FWD								
	L2H2				L3H2			
Version	3.5T	3.5T	3.8T	4.0T	3.5T	3.5T	3.8T	4.0T
Battery size	40KWH	87KWH	40KWH	87KWH	40KWH	87KWH	40KWH	87KWH
Homologation	N1	N1	N2	N1	N1	N1	N2	N1
Gross Vehicle Weight	3500	3500	3800	4000	3500	3500	3800	4000
Kerb weight min ^[1]	2169	2366	2172	2369	TBC ^[2]	2453	TBC ^[2]	2456
Kerb weight max ^[1]	2509	2719	2510	2719	TBC ^[2]	2852	TBC ^[2]	2852
Max payload	1331	1134	1628	1631	TBC ^[2]	1047	TBC ^[2]	1544
Min payload	991	781	1290	1281	TBC ^[2]	648	TBC ^[2]	1148
Max weight on front axle	1950	2070	2070	2070	TBC ^[2]	2070	TBC ^[2]	2070
Max weight on rear axle	2000	2100	2370	2370	TBC ^[2]	2100	TBC ^[2]	2370
Max towing capacity - braked	2500	2500	2500	2500	TBC ^[2]	2500	TBC ^[2]	2500
Max towing capacity - unbraked	750	750	750	750	TBC ^[2]	750	TBC ^[2]	750
Gross combination weight	5500	5500	5500	5500	TBC ^[2]	5500	TBC ^[2]	5500
Max vertical load on trailer hitch	100	100	80	80	TBC ^[2]	100	TBC ^[2]	80
Max roof load	200	200	200	200	TBC ^[2]	200	TBC ^[2]	200

WHEEL & TYRE								
Wheel	16"	16"	16"	16"	16"	16"	16"	16"
Tyre	205 75 R16	205 75 R16	215 75 R16	215 75 R16	205 75 R16	205 75 R16	215 75 R16	215 75 R16

COLOURS



Mineral White (S)
QNG



Urban Grey (S)
KPW



Agave Blue (S)
DQG



Red (S)
071



Blue Grey (M)
J47



Silver (M)
KNH



Black (M)
676

M: METALLIC
S: SOLID

Paint availability dependent on grade, may come as standard or only as option (at an extra charge).

TRIMS

	Seat trim
Acenta	Dark Grey
Tekna	Light Grey

WHEELS

	3.3T - 3.5T	4.0T
Acenta		
Tekna		

small hub cap	midsize hub cap	full wheel cover
		

Diesel 4.0t Chassis, Platform and factory conversions in Acenta grade have small hubcap instead of full wheel cover

NISSAN

ALL-NEW INTERSTAR PANEL VAN

ACENTA

SAFETY AND SECURITY^[1]

- Driver's and passenger airbag
- ABS and brake assist, VDC + ASR, Hill Start Assist and Trailer Sway Assistant^[2]
- Lane Departure Warning
- Lane Keeping Assist
- Distance Warning (time in sec) in TFT instr panel
- TPMS
- Automatic Forward Emergency Braking System (AEBS)
- e-Call
- Driver Drowsiness and Attention Warning
- Intelligent Speed Assist (Cruise Control + Traffic Sign Recognition)
- Auto High Low Beam
- Automatic lights and wipers
- Spare wheel
- Remote central door locking
- 3-button key
- Automatic door locking (at 5MPH)
- Superlocking
- Nissan Anti Theft System immobiliser
- Thatcham alarm
- Seatbelts - 3 point height-adjustable seatbelts with pretensioners and reminder
- Tachograph (N2 variants only)
- Blind Spot Info System (N2 homologated versions only)

LIGHTS

- LED Daytime Running Lights
- Lamp High Beam
- LED Low Beam
- Front Fog Lights with cornering function

EXTERIOR STYLING

- Rear step (Van only)
- Towing predisposal (underfloor wiring)
- Protection under engine (40 GVW diesel only)

WHEELS

- 16" steel wheels with mid size black hub cup

LOAD SPACE AND DOORS

- 50:50 split 180 degree unglazed twin rear doors (Van only)
- Nearside sliding panel door unglazed (Van only)
- LED light in cargo (Van only)
- Full steel bulkhead without window (Van only)
- Full steel bulkhead with window (Chassis, Platform and conversions)
- Soundproofing trim on bulkhead
- Overhead parcel shelves
- Anorage fix rings in loadspace (close to the floor): 4 on each side of L2 Van version, 5 on each side of L3 Van version

SEATING

- Driver seat with longitudinal, height adj, backrest inclination and armrest
- 2-seater passenger bench
- Fold-down central seat with underseat storage
- Seat trim Acenta

COMFORT AND CONVENIENCE

- 2 cup holders on dashboard
- Electric front windows, one touch driver side
- El. Adjustable, heated door mirrors
- Closed glovebox
- LED light in cabin
- 3.5" TFT Cluster (diesel only)
- 7" colour TFT Cluster (EV only)
- USB port & AUX socket
- Media center 10.1" touchscreen with radio DAB, bluetooth, 2 speakers and Android Auto / Apple Carplay
- Rear Parking Sensors (Van only)
- Steering wheel - rake and reach adj
- Manual A/C

^[1] It is your responsibility to stay alert, drive safely and be in control of the vehicle at all times. Driver assist features have speed and other limitations and should not be solely relied on. For more information, please refer to the owner's manual or visit <http://www.nissan.co.uk/techterms>. ^[2] Trailer Sway Assistant available on vehicles with a tow hook from factory or activated at Dealership on vehicles with tow hook from Nissan Accessory.

TEKNA

WHEELS

- 16" steel wheels with full wheel covers

LOAD SPACE AND DOORS

- 50:50 split 270 degree unglazed twin rear doors (Van only)
- Additional 2 anchorage fix rings on each D pillar (Van only)
- 12 V Power socket in load area (Van only)

SEATING

- Driver seat with longitudinal, height and lumbar adj, backrest inclination and armrest
- Seat trim Tekna

COMFORT AND CONVENIENCE

- Heated windscreen
- 360 parking sensors (Van only)
- Rear View Camera (Van only)
- Automatic A/C

NISSAN LCV 5 YEAR MANUFACTURER WARRANTY

Nissan now offers a standard 5 Year Pan-European Manufacturer Warranty on its whole LCV range*. This is much more than just a warranty as it includes:



- 5 Year or 100,000 miles* bumper-to-bumper protection
- 5 Year Nissan Genuine Parts & Accessories Warranty
- 5 Year Roadside Assistance
- Fully transferable
- 8 Year or 100,000 miles (whichever comes first) warranty on EV battery state of health (below 70%)

BATTERY WARRANTY



Interstar-e battery is covered for 8 years or 100,000 miles. Nissan guarantee the Li-ion battery capacity to be over 70% for 8 years or 100,000 miles. Should the capacity fall below 70% within that coverage period Nissan will replace or repair to return to over 70%.

And with service intervals at 2 years or 24,000 miles for diesel or 2 years or 24,000 miles for electric (whichever is sooner) you'll not only have 5 years of peace of mind but also low running costs.



AT NISSAN, YOU BRING OUT THE BEST IN US.

You spark our imagination. You provoke our ingenuity. You inspire us to change the rules and innovate. And at Nissan, innovation is not just about additions and extensions; it's about crossing the line to reinvent the status quo. It's about developing unexpected solutions to satisfy your wildest and most pragmatic desires. At Nissan, we design vehicles, accessories and services that break the mould - making the practical exciting and the exciting practical to offer you better driving experience everyday.

*5 Year / 100,000 miles (whichever comes first) Manufacturer Warranty for the LCV range
Unlimited mileage for Paintwork, Nissan Genuine Parts & Accessories, Roadside Assistance & Corrosion Warranties.
For more details, please refer to Nissan Warranty Booklet and Maintenance Record for additional information on Warranty.



CUSTOMER SERVICES

SPECIALISED LCV NETWORK

Nissan provides a specialised network of Van Centers to support your specific commercial vehicle requirements:

- Pan-European coverage
- Dedicated LCV Sales & Aftersales staff
- Attractive financing solutions
- Tailor made conversion offers
- Competitive extended warranty offers to go even beyond Nissan LCV 5 Year Warranty.
- Test drive your choice

AFTERSALES SERVICES

If your car breaks down, it's inconvenient. If your van breaks down, it's a serious blow to your business. Even time allowed for servicing is downtime, when your van isn't earning its keep. At Nissan, we understand these hard business facts. So we do the best to ensure that your van stays where it belongs - working for you, on the road.

NISSAN SERVICE CONTRACTS AND EXTENDED WARRANTY^[1]

For improved peace of mind and budget control, subscribe to a Nissan Service Plan, which will cover routine maintenance and parts wear & tear for the mileage and period that suits your business best, keeping your All-New Nissan Interstar in the care of dedicated, expert Nissan technicians. Get even more reassurance with an Extended Warranty to cover possible mechanical and electrical breakdown after the end of your All-New Nissan Interstar warranty.

5 YEAR ROADSIDE ASSISTANCE^[2]

- Pan-European coverage for breakdowns, accidents, non-warrantable incidents (such as flat tyres, lost keys, wrong fuel...)
- 24/7, 365 days
- Emergency Call Centre
- Prompt roadside assistance

If this is not possible and your vehicle is still immobilised after a few hours, we will make sure you are provided with a courtesy vehicle as soon as possible or if necessary, overnight accommodation and travel to your onward destination or back to your base. We will also recover your immobilised vehicle.

[1] For full terms and conditions, please visit <https://www.nissan.co.uk/owners/car-warranty/nissan-extended-warranty.html>.

[2] For full terms and conditions, please visit <https://www.nissan.co.uk/owners/car-breakdown-cover.html>.



Deep dive into the Nissan Interstar experience: www.nissan-europe.com/Interstar

Follow Nissan Interstar on Facebook, Twitter and Youtube.

Nissan Interstar diesel range, fuel consumption MPG (WLTP combined): 33.2 – 37.8; CO₂ emissions g/km (WLTP combined): 194 – 222g. Nissan Interstar-e EV range, power consumption Wh/km (WLTP combined): 21kWh/100 km; CO₂ emission g/km (WLTP combined): 0g. Zero CO₂ emissions while driving.

Every effort has been made to ensure that the content of this publication is correct at the time of going to press (August 2024). In accordance with the company's policy of continuously improving its products, Nissan Europe reserves the right to change at any time the specification and the vehicles described and shown in this publication. Nissan dealers will be informed of any such modifications as quickly as possible. Please check with your local Nissan dealer to receive the most up-to-date information. Because of the limitations of the printing processes used, the colours shown in this brochure may differ slightly from the actual colours of the paint and interior trim materials used. All rights reserved. Gemasolar (Qualitas Energy). Reproduction in whole or part of this brochure without the written permission of Nissan Europe is forbidden. This brochure is made from chlorine free paper - MY24 Interstar brochure 08/2024 - Printed in EU. Created by DESIGNORY, France and produced by eg+ worldwide, France - Tel: +33 1 49 09 25 35.

WLTP figures shown are for comparability purposes. Actual real world driving results may vary depending on factors including the starting charge of the battery, accessories fitted after registration, weather conditions, driving styles and vehicle load.